



LIVING WITH PTSD AND EFFECTS ON THE FAMILY

What is PTSD?


People suffer from PTSD or posttraumatic stress disorder when they have trouble recovering from a traumatic event they experienced, witnessed, or heard about happening to someone they love.

Many military families live with PTSD in their homes after their service member is exposed to combat or military training. However, PTSD may come from a variety of other traumatic events.

Some examples include:

- Violence (domestic, military, terrorist attack, training)
- Serious injuries (intentional or accidental: car crash, drowning)
- Sexual or physical assault and/or abuse
- Natural disasters (hurricanes, tornadoes, fires, floods)

PTSD can look different in individuals. One person may become more agitated while others become more distant and detached. It is also common to see two or more disorders in addition to PTSD like depression, anxiety, or substance abuse. See the table on the next page for symptoms.



TIP: Post-traumatic Stress (PTS) is like PTSD without a diagnosis and lasts for about a month. Many servicemen experience PTS after deployment.

Video Resources:

- [How I Knew I had PTSD](#)
- [How PTSD Affects the People You Love](#)
- [PTSD is Like Living with this Overactive Alarm System](#)
- [The Emotional Numbness Will Just Tear Away](#)
- [TEDx Understanding PTSD's Effects on Brain, Body, and Emotions](#)

Other Resources:

- [National Center for PTSD: Understanding PTSD: A Guide for Family and Friends](#)
- [National Child Traumatic Stress Network: Trauma and Your Family](#)
- [US Department of Veteran Affairs: When a Child's Parent has PTSD](#)



Intrusive Symptoms One or more of these:	<ul style="list-style-type: none">• Upsetting memories and thoughts of the trauma• Upsetting dreams of the trauma• Unwanted flashbacks (reliving trauma; unaware of the present)• Certain things cause emotional distress• Physical reactions to things (jump, jerk, twitch, tremble, sweat, heart rate, clench, cry, etc)
Avoidance Symptoms One or both:	<p>Tries to avoid thoughts, memories, or feelings related to the trauma</p> <p>Tries to avoid external reminders that bring up memories, thoughts, or feelings of the trauma</p> <ul style="list-style-type: none">• People• Places• Objects• Conversations• Activities• Situations
Negative Alterations in cognition or mood Two or more:	<ul style="list-style-type: none">• Can't remember important parts of the trauma• Consistently blames self or others for the traumatic event by mentally distorting the cause or consequences of the event• Persistent negative emotions (fear, anxiety, guilt, horror, shame, anger)• Less interest or participation in past hobbies, activities, or events• Feels distant from others• Can't feel positive emotions (happiness, love, satisfaction)• Persistent exaggerated negative beliefs or expectations in oneself, others, or the world<ul style="list-style-type: none">• "I'll never be fixed."• "I'm just a bad person."• "You can't trust anyone."• "The world is completely dangerous."
Reactivity & Arousal Change in two or more:	<ul style="list-style-type: none">• Irritable or angry outbursts towards people or objects at little or no provocation• Reckless or self-destructive behavior• Hypervigilance (increased state of awareness)• Problems sleeping• Exaggerated startle response (Increased physical reaction to certain situations)• Hard time concentrating



Living with PTSD affects everyone in the home. In MCEC's webinar [PTSD and Its Effects on Military/Veteran Families](#), Dr. Stephen Cozza discusses common consequences of living with PTSD found in recent research:

In Parenting:

- Poor family functioning
- Greater family distress
- Higher levels of family violence
- Disruption in parent-child relationships
- Decreased parent satisfaction with kid(s) and the way spouse parents
- Decreased parenting alliance
- Parenting challenges
- Negative parenting practices
(decrease in parental engagement, consistency and sensitivity)

In Children:

- Increased anxiety and depression
- Behavioral problems like increased aggression
- Secondary trauma (to parent's PTSD)
- Increased stress in response to negative parenting practices
- Attention deficit
- Thought problems
- Social problems
- Academic challenges

Partners and couples:

- Poor couple adjustment
- Decreased intimacy satisfaction
- Negative communication
- Spouse PTSD
- Domestic Abuse
- Poor problem solving, communication, and involvement

Although PTSD increases the risk for factors mentioned above, families can find a “new normal” over time through professional help, family communication, and proactive efforts/activities. Some research even shows that partners affected by PTSD can grow through sharing their emotions with each other. Other experts theorize post-traumatic growth (PTG). PTG is the personal growth an individual can experience after turbulent psychological struggles relating to traumatic events. About PTG, Dr. Richard Tedeschi says:

“People develop new understandings of themselves, the world they live in, how to relate to other people, the kind of future they might have and a better understanding of how to live life.”

Parents and guardians can help their military children learn more about PTSD through this worksheet: [For Kids: What is PTSD](#). Families living with PTSD can also find their “new normal” by following these steps and associated printables. Use this worksheet to understand and use these steps: [Strengthen Your Family Through Difficult Times](#). Modify or create your own plan, using the help of a professional if possible.



References

- Althobaiti, S., Kazantzis, N., Ofori-Asenso, R., Romero, L., Fisher, J., Mills, K. E., & Liew, D. (2020). Efficacy of interpersonal psychotherapy for post-traumatic stress disorder: A systematic review and meta-analysis. *Journal of Affective Disorders*, 264, 286-294. <https://doi.org/10.1016/j.jad.2019.12.021>
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). <https://doi.org/10.1176/appi.books.9780890425596>
- Appleyard, K., & Osofsky, J. D. (2003). Parenting after trauma: supporting parents and caregivers in the treatment of children impacted by violence. *Infant Mental Health Journal*, 24(2), 111-125. <https://doi.org/10.1002/imhj.10050>
- Brickell, T. A., French, L. M., Lippa, S. M., & Lange, R. T. (2018). The impact of deployment and traumatic brain injury on the health and behavior of children of US military service members and veterans. *Clinical Child Psychology and Psychiatry*, 23(3), 425-441. <https://doi.org/10.1177/1359104517740405>
- Brickell, T. A., French, L. M., Sullivan, J. K., Varbedian, N. V., Wright, M. M., & Lange, R. T. (2021). Unhealthy family functioning is associated with health-related quality of life among military spouse caregivers. *Psychological Trauma: Theory, Research, Practice, and Policy*. Advance online publication. <https://doi.org/10.1037/tra0001055>
- Brownlow, J. A., Zitnik, G. A., McLean, C. P., & Gehrman, P. R. (2018). The influence of deployment stress and life stress on post-traumatic stress disorder (PTSD) diagnosis among military personnel. *Journal of Psychiatric Research*, 103, 26-32. <https://doi.org/10.1016/j.jpsychires.2018.05.005>
- Center for Substance Abuse Treatment (US). (2014). *Trauma-informed care in behavioral health services*. Substance Abuse and Mental Health Services Administration (US). https://www.ncbi.nlm.nih.gov/books/NBK207191/box/part1_ch3.box16/
- Christie, H., Hamilton-Giachritsis, C., Alves-Costa, F., Tomlinson, M., & Halligan, S. L. (2019). The impact of parental posttraumatic stress disorder on parenting: a systematic review. *European Journal of Psychotraumatology*, 10(1), 1550345. <https://doi.org/10.1080/20008198.2018.1550345>
- Cozza, S. J. (2018). Family based interventions for PTSD. *Trauma-and stressor-related disorders*, 350. Horn, S. R., & Feder, A. (2018). Understanding resilience and preventing and treating PTSD. *Harvard review of psychiatry*, 26(3), 158-174.
- Cozza, S. J., Knobloch, L. K., Gewirtz, A. H., DeVoe, E. R., Gorman, L. A., Flake, E. M., ... & Lerner, R. M. (2018). Lessons learned and future recommendations for conducting research with military children and families. *A battle plan for supporting military families: Lessons for the leaders of tomorrow*, 265-287.
- Creech, S. K., Hadley, W., & Borsari, B. (2014). The impact of military deployment and reintegration on children and parenting: A systematic review. *Professional Psychology, Research and Practice*, 45(6), 452-464. <https://doi.org/10.1037/a0035055>
- Creech, S. K., & Misca, G. (2017). Parenting with PTSD: A review of research on the influence of PTSD on parent-child functioning in military and veteran families. *Frontiers in Psychology*, 8, 1101. <https://doi.org/10.3389/fpsyg.2017.01101>
- Gewirtz, A. H., Cozza, S. J., & Kizer, K. W. (2020). The need for clinicians to recognize military-connected children. *JAMA Pediatrics*, 174(11), 1019-1020. <https://doi.org/10.1001/jamapediatrics.2020.2548>
- Greene, C. A., McCarthy, K. J., Estabroo, R., Wakschlag, L. S., & Briggs-Gowa, M. J. (2020). Responsive parenting buffers the impact of maternal PTSD on young children. *Parenting, Science and Practice*, 20(2), 141-165. <https://doi.org/10.1080/15295192.2019.1707623>
- Horn, S. R., & Feder, A. (2018). Understanding resilience and preventing and treating PTSD. *Harvard Review of Psychiatry*, 26(3), 158-174. <https://doi.org/10.1097/hrp.0000000000000194>
- Hughes-Kirchubel, L., Wadsworth, S.M. (2018). Introduction to a battle plan for supporting military families. In Hughes-Kirchubel, L., Wadsworth, S., Riggs, D. (eds.), *A battle plan for supporting military families* (pp. 1-10). Springer, Cham. https://doi.org/10.1007/978-3-319-68984-5_1
- Kennedy, J. E., Jaffee, M. S., Leskin, G. A., Stokes, J. W., Leal, F. O., & Fitzpatrick, P. J. (2007). Posttraumatic stress disorder and posttraumatic stress disorder-like symptoms and mild traumatic brain injury. *Journal of Rehabilitation Research and Development*, 44(7), 895-920.
- Knobloch, L. K., Owens, J. L., & Gobin, R. L. (2022). Soul wounds among combat trauma survivors: Experience, effects, and advice. *Traumatology*, 28(1), 11-23. <https://doi.org/10.1037/trm0000307>
- Renshaw, K. D., Allen, E. S., Fredman, S. J., Giff, S. T., & Kern, C. (2020). Partners' motivations for accommodating posttraumatic stress disorder symptoms in service members: The reasons for accommodation of PTSD scale. *Journal of Anxiety Disorders*, 71, 102199. <https://doi.org/10.1016/j.janxdis.2020.102199>
- Selimbasic, Z., Sinanovic, O., & Avdibegovic, E. (2012). Psychosocial problems among children of parents with posttraumatic stress disorder. *Medical Archives (Sarajevo, Bosnia and Herzegovina)*, 66(5), 304-308.
- Sigelman, C. K., Friedman, S. L., Rohrbeck, C. A., & Sheehan, P. B. (2018). Supportive communication between deployed parents and children is linked to children's adjustment. *Journal of Applied Developmental Psychology*, 58, 18-27. <https://doi.org/10.1016/j.appdev.2018.08.002>
- Theiss, J. A. (2018). Family communication and resilience. *Journal of Applied Communication Research*, 46(1), 10-13. <https://doi.org/10.1080/00909882.2018.1426706>